



### **SPECIFICATIONS**

HEADSIZE sq. in.	98
HEADSIZE sq. cm.	630
LENGTH	660 mm
WEIGHT (UNSTRUNG)	245 g
BALANCE (UNSTRUNG)	320 mm
FRAME HEIGHT	22

# SWING STYLE INDEX

#### **STRINGING INSTRUCTIONS**

STRINGING PATTERN	16/20
RECOMMENDED String tension (KG)	22 ±2
RECOMMENDED String tension (LBS)	49 ±5
MAXIMUM STRING TENSION (KG)	25
MAXIMUM STRING TENSION (LBS)	55

RECOMMENDED String	PACIFIC POWER LINE
MIN. STRING LENGTH	11.0 M
MIN. STRING LENGTH	36.01 FT
SHORT STRING	2.8 M

### **MAIN STRINGS**

Always installed first. Start in the middle, and alternate the installation from side to side. Install not more then 2-main's per side before switching sides. Pull tension on each string where it exists the head, and throat areas. Tie-off string on shown holes before starting the cross strings. If main strings end at the throat, 2-piece stringing is advised. Racquets are improperly strung when the crosses are started at the bottom/throat area, and automatically void any PACIFIC warranty.

# **CROSS STRINGS**

Always begin at the top of the racquet. For 1-piece stringing where the main strings ended at the top, begin the first cross string where shown on the corresponding diagram. For 2-piece stringing, tie-off the starting cross string on the opposite/same number hole as the short-side main string was tied-off. Begin the cross string installation from the top of the racquet and pulling tension on each cross string after weaving to the other side of the racquet frame. Tie-off the cross string at the shown hole in the throat area.

#### **Remember!**

Strings are the most important aspect to make any racquet perform at its best. Strings loose tension and resiliency even if not played. PACIFIC recommends that you string your racquet a minimum of 3-times per year, or after 30-hours of play. To insure the best performance, use only PACIFIC strings! We encourage you to seek-out a Qualified Racquet Technician who uses a PACIFIC Stringing Machine. PACIFIC is the Official String, Grip, and Stringing Machine of the ATP World Tour.







